



Volnay PV



Volnay PV



Volnay PV is both elegant and reliable, and has immediately set a new standard among large flat interlocking tiles. The Volnay PV tile offers a generous 68 mm variable gauge.

Its fine and elegant bevelled nose and its graceful lines enhance the plain tile «feel» of roofs it covers. Volnay PV comes in seven rich and authentic colours to fit everywhere.

Colour : Flamed Red



Essentials

Unit weight (kg)	4.5
Gauge (mm)	340 to 408
Cover width (mm)	248
Battens (lm/sq.m)	2.5
Tiles per sq.m.*	10
Weight per sq.m. (kg)	45
Tiles per pallet (1)	240
Minimum pitch	35 %

*Tiles per pallet may vary

✓ Unmatched laying

The interlock system ensures excellent watertightness. A water diverter in the top left interlock sheds rainwater away from the intersection of the joints. Several reinforcement ribs on the underside emphasize the strength of the tile.

✓ Pure and elegant lines

Its fine and elegant bevelled nose and its graceful lines enhance the plain tile “feel” of roofs it covers.




“ Volnay PV is completely compatible for buildings cladding ”





Old Burgundy



Dark Slate



Flamed Red




Mix Fall



Champagne Sandfaced



Old Lauze



Tudor Brown

